

## Postbeskrivning Billjournal\_1.0 – innehåll

1 Versionshistorik.....	2
2 Relaterade dokument.....	2
3 Allmänt .....	2
3.1 Filnamnbeskrivning .....	2
3.2 Validering .....	2
4 Övergripande bild XML-struktur .....	3
5 XML-struktur Billjournal .....	4
5.1 BillJournal/BillJournalInfo .....	5
5.1.1 BillJournal/BillJournalInfo/InvoiceClaimEvents.....	6
5.1.2 BillJournal/BillJournalInfo/InvoiceStatusEvents.....	6
5.1.3 BillJournal/BillJournalInfo/InvoiceClaimProcessPauseEvents.....	6
5.1.4 BillJournal/BillJournalInfo/InvoiceComplaintEvents .....	7

## 1 Versionshistorik

Version	Datum	Beskrivning	Gjord av	Godkänd av
1.0	170310	Dokumentet skapat	JKR	

## 2 Relaterade dokument

Dokument	Beskrivning
BillJournal_[1.0].XSD	Schemafil för Bill journal

## 3 Allmänt

Billjournal är det filformat som används för att kommunicera förändringar på fakturorna i reskontran som härrör från den/de tjänster som avtalats.

Exempel på händelser som kan kommuniceras beroende på avtalad tjänst är:

- Att faktura avslutats alt restnoterats i reskontran
- Att påminnelse, räntekrav, inkassokrav skickats
- Att fakturan överförts till inkasso
- Att reklamation mottagits på faktura
- Att reklamation har registrerats som upklarad
- Att anstånd/stop har registrerats på faktura
- Att anstånd/stop har tagits bort på faktura

### 3.1 Filnamnbeskrivning

Filnamn: BILLJOURNAL\_<Firmanr>\_<DatumTid>\_<Löpnr>.xml .

<DatumTid> (YYYYMMDDHHMMSS) och är datum och tid då filen skapades.


<Löpnr> är en obruten nummerserie där firmans första fil skall ha 1 nästa 2 osv.

Exempel: BILLJOURNAL\_9999\_20080923124422\_1.xml

### 3.2 Validering

Billjournal-filen ska svara mot aktuell version av BillJournal\_[X.X].xsd.

## 4 Övergripande bild XML-struktur



## 5 XML-struktur Billjournal

### element **BillJournal**

properties	content complex					
children	<a href="#">BillJournalInfo</a>					
attributes	Name <a href="#">Version</a>	Type <b>xs:string</b>	Use required	Default	Fixed 1.0	Annotation documentation The version of the schema-file (XSD) to be used for validation of the xml-file
	<a href="#">CreatedDateTime</a>	<b>xs:dateTime</b>	required			documentation The date and time when the file was created
	<a href="#">CompanyNo</a>	<a href="#">CompanyNumber</a>	required			documentation Your accounts receivable number at PayEx
	<a href="#">CompanyName</a>	<b>xs:string</b>	required			documentation The name of your company/accounts recievable at PayEx

### attribute **BillJournal/@Version**

type	<b>xs:string</b>
properties	use required fixed 1.0
annotation	documentation The version of the schema-file (XSD) to be used for validation of the xml-file

### attribute **BillJournal/@CreatedDateTime**

type	<b>xs:dateTime</b>
properties	use required
annotation	documentation The date and time when the file was created

### attribute **BillJournal/@CompanyNo**

type	<a href="#">CompanyNumber</a>												
properties	use required												
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>15</td> <td></td> </tr> <tr> <td>pattern</td> <td>[0-9]*</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	15		pattern	[0-9]*	
Kind	Value	Annotation											
minLength	1												
maxLength	15												
pattern	[0-9]*												
annotation	documentation Your accounts receivable number at PayEx												

attribute **BillJournal/@CompanyName**

type	<b>xs:string</b>
properties	use required
annotation	documentation The name of your company/accounts receivable at PayEx

## 5.1 BillJournal/BillJournalInfo

element **BillJournal/BillJournalInfo**

properties	minOcc 1 maxOcc unbounded content complex
children	<a href="#">InvoiceNo</a> <a href="#">CustomerNo</a> <a href="#">InvoiceClaimEvents</a> <a href="#">InvoiceStatusEvents</a> <a href="#">InvoiceClaimProcessPauseEvents</a> <a href="#">InvoiceComplaintEvents</a>
annotation	documentation Contains events affecting an invoice.

element **BillJournal/BillJournalInfo/InvoiceNo**

type	<a href="#">InvoiceIdentifier15</a>									
properties	content simple nillable false									
facets	<table border="0"> <tr> <td>Kind</td> <td>Value</td> <td>Annotation</td> </tr> <tr> <td>maxLength</td> <td>15</td> <td></td> </tr> <tr> <td>pattern</td> <td>[A-Za-z0-9\-\+]</td> <td></td> </tr> </table>	Kind	Value	Annotation	maxLength	15		pattern	[A-Za-z0-9\-\+]	
Kind	Value	Annotation								
maxLength	15									
pattern	[A-Za-z0-9\-\+]									
annotation	documentation InvoiceNo is your unique invoice identifier in the accounts receivable.									

element **BillJournal/BillJournalInfo/CustomerNo**

type	<a href="#">Identifier15</a>												
properties	content simple nillable false												
facets	<table border="0"> <tr> <td>Kind</td> <td>Value</td> <td>Annotation</td> </tr> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>15</td> <td></td> </tr> <tr> <td>pattern</td> <td>[a-zA-Z0-9äåöÄÅÖ&amp;/_-]*</td> <td></td> </tr> </table>	Kind	Value	Annotation	minLength	1		maxLength	15		pattern	[a-zA-Z0-9äåöÄÅÖ&/_-]*	
Kind	Value	Annotation											
minLength	1												
maxLength	15												
pattern	[a-zA-Z0-9äåöÄÅÖ&/_-]*												
annotation	documentation CustomerNo is your unique identifier of the customer in the accounts receivable.												

### 5.1.1 *BillJournal/BillJournalInfo/InvoiceClaimEvents*

#### element **BillJournal/BillJournalInfo/InvoiceClaimEvents**

properties	minOcc 0 maxOcc 1 content complex
children	<a href="#">InvoiceClaimEvent</a>
annotation	documentation Containing claim events on an invoice.

#### element **BillJournal/BillJournalInfo/InvoiceClaimEvents/InvoiceClaimEvent**

type	<a href="#">InvoiceClaimEvent</a>
properties	minOcc 1 maxOcc unbounded content complex
children	<a href="#">ClaimEvent</a> <a href="#">ClaimEventDate</a> <a href="#">BillAmount</a>
annotation	documentation Contains an invoice claim event.

### 5.1.2 *BillJournal/BillJournalInfo/InvoiceStatusEvents*

#### element **BillJournal/BillJournalInfo/InvoiceStatusEvents**

properties	minOcc 0 maxOcc 1 content complex
children	<a href="#">InvoiceStatusEvent</a>
annotation	documentation Containing status events on an invoice.

#### element **BillJournal/BillJournalInfo/InvoiceStatusEvents/InvoiceStatusEvent**

type	<a href="#">InvoiceStatusEvent</a>
properties	minOcc 1 maxOcc unbounded content complex
children	<a href="#">InvoiceStatus</a> <a href="#">StatusEventDate</a>
annotation	documentation Contains an invoice status event.

### 5.1.3 *BillJournal/BillJournalInfo/InvoiceClaimProcessPauseEvents*

#### element **BillJournal/BillJournalInfo/InvoiceClaimProcessPauseEvents**

properties	minOcc 0 maxOcc 1 content complex
children	<a href="#">InvoiceClaimProcessPauseEvent</a>
annotation	documentation Containing claim process pause events on an invoice.

element **BillJournal/BillJournalInfo/InvoiceClaimProcessPauseEvents/InvoiceClaimProcessPauseEvent**

type	<a href="#">InvoiceClaimProcessPauseEvent</a>
properties	minOcc 1 maxOcc unbounded content complex
children	<a href="#">ClaimProcessPauseEvent</a> <a href="#">ClaimProcessPauseEventDate</a> <a href="#">ValidToDate</a>
annotation	documentation Contains an invoice claim process pause event

5.1.4 *BillJournal/BillJournalInfo/InvoiceComplaintEvents*

element **BillJournal/BillJournalInfo/InvoiceComplaintEvents**

properties	minOcc 0 maxOcc 1 content complex
children	<a href="#">InvoiceComplaintEvent</a>
annotation	documentation Containing complaint events on an invoice.

element **BillJournal/BillJournalInfo/InvoiceComplaintEvents/InvoiceComplaintEvent**

type	<a href="#">InvoiceComplaintEvent</a>
properties	minOcc 1 maxOcc unbounded content complex
children	<a href="#">ComplaintStatus</a> <a href="#">ComplaintEventDate</a>
annotation	documentation Contains an invoice complaint event

complexType **BillAmount**

children	<a href="#">AmountInclVat</a>												
used by	element <a href="#">InvoiceClaimEvent/BillAmount</a>												
attributes	<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td><a href="#">Currency</a></td> <td><a href="#">eCurrencyType</a></td> <td>required</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	<a href="#">Currency</a>	<a href="#">eCurrencyType</a>	required			
Name	Type	Use	Default	Fixed	Annotation								
<a href="#">Currency</a>	<a href="#">eCurrencyType</a>	required											

attribute **BillAmount/@Currency**

type	<a href="#">eCurrencyType</a>															
properties	use required															
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>SEK</td> <td></td> </tr> <tr> <td>enumeration</td> <td>NOK</td> <td></td> </tr> <tr> <td>enumeration</td> <td>DKK</td> <td></td> </tr> <tr> <td>enumeration</td> <td>EUR</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	SEK		enumeration	NOK		enumeration	DKK		enumeration	EUR	
Kind	Value	Annotation														
enumeration	SEK															
enumeration	NOK															
enumeration	DKK															
enumeration	EUR															

element **BillAmount/AmountInclVat**

type	<a href="#">Money</a>												
properties	content simple nillable false												
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minInclusive</td> <td>-100000000</td> <td></td> </tr> <tr> <td>maxInclusive</td> <td>100000000</td> <td></td> </tr> <tr> <td>fractionDigits</td> <td>2</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minInclusive	-100000000		maxInclusive	100000000		fractionDigits	2	
Kind	Value	Annotation											
minInclusive	-100000000												
maxInclusive	100000000												
fractionDigits	2												

complexType **InvoiceClaimEvent**

children	<a href="#">ClaimEvent</a> <a href="#">ClaimEventDate</a> <a href="#">BillAmount</a>
used by	element <a href="#">BillJournal/BillJournalInfo/InvoiceClaimEvents/InvoiceClaimEvent</a>

element **InvoiceClaimEvent/ClaimEvent**

type	<a href="#">eClaimEvent</a>																		
properties	content simple nillable false																		
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>ReminderSent</td> <td>documentation An invoice reminder has been sent to the customer</td> </tr> <tr> <td>enumeration</td> <td>SecondReminderSent</td> <td>documentation A second invoice reminder has been sent to the customer</td> </tr> <tr> <td>enumeration</td> <td>CollectionClaimSent</td> <td>documentation A collection claim has been sent to the customer</td> </tr> <tr> <td>enumeration</td> <td>RestReminderSent</td> <td>documentation A reminder including only interest and fees has been sent to the customer</td> </tr> <tr> <td>enumeration</td> <td>DebtCollection</td> <td>documentation The invoice has been transferred to collection</td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	ReminderSent	documentation An invoice reminder has been sent to the customer	enumeration	SecondReminderSent	documentation A second invoice reminder has been sent to the customer	enumeration	CollectionClaimSent	documentation A collection claim has been sent to the customer	enumeration	RestReminderSent	documentation A reminder including only interest and fees has been sent to the customer	enumeration	DebtCollection	documentation The invoice has been transferred to collection
Kind	Value	Annotation																	
enumeration	ReminderSent	documentation An invoice reminder has been sent to the customer																	
enumeration	SecondReminderSent	documentation A second invoice reminder has been sent to the customer																	
enumeration	CollectionClaimSent	documentation A collection claim has been sent to the customer																	
enumeration	RestReminderSent	documentation A reminder including only interest and fees has been sent to the customer																	
enumeration	DebtCollection	documentation The invoice has been transferred to collection																	
annotation	documentation Type of claim event from enumeration.																		

element **InvoiceClaimEvent/ClaimEventDate**

type	<b>xs:date</b>
properties	content simple nillable false
annotation	documentation The date when the event occurred.

element **InvoiceClaimEvent/BillAmount**

type	<a href="#">BillAmount</a>												
properties	content complex nillable false												
children	<a href="#">AmountInclVat</a>												
attributes	<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td><a href="#">Currency</a></td> <td><a href="#">eCurrencyType</a></td> <td>required</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	<a href="#">Currency</a>	<a href="#">eCurrencyType</a>	required			
Name	Type	Use	Default	Fixed	Annotation								
<a href="#">Currency</a>	<a href="#">eCurrencyType</a>	required											
annotation	documentation The claim amount at the time of the claimevent.												



### complexType InvoiceClaimProcessPauseEvent

children	<a href="#">ClaimProcessPauseEvent</a> <a href="#">ClaimProcessPauseEventDate</a> <a href="#">ValidToDate</a>
used by	element <a href="#">BillJournal/BillJournalInfo/InvoiceClaimProcessPauseEvents/InvoiceClaimProcessPauseEvent</a>

### element InvoiceClaimProcessPauseEvent/ClaimProcessPauseEvent

type	<a href="#">eClaimProcessPauseEventType</a>															
properties	content simple nillable false															
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Stop</td> <td>documentation The claim is stopped for further claim process steps until stop is removed.</td> </tr> <tr> <td>enumeration</td> <td>Respite</td> <td>documentation The claim is stopped for further claimprocess steps until valid to data of respite or respite is removed.</td> </tr> <tr> <td>enumeration</td> <td>StopRemoved</td> <td>documentation Stop has been removed from claim.</td> </tr> <tr> <td>enumeration</td> <td>RespiteRemoved</td> <td>documentation Respite has been removed fro claim</td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Stop	documentation The claim is stopped for further claim process steps until stop is removed.	enumeration	Respite	documentation The claim is stopped for further claimprocess steps until valid to data of respite or respite is removed.	enumeration	StopRemoved	documentation Stop has been removed from claim.	enumeration	RespiteRemoved	documentation Respite has been removed fro claim
Kind	Value	Annotation														
enumeration	Stop	documentation The claim is stopped for further claim process steps until stop is removed.														
enumeration	Respite	documentation The claim is stopped for further claimprocess steps until valid to data of respite or respite is removed.														
enumeration	StopRemoved	documentation Stop has been removed from claim.														
enumeration	RespiteRemoved	documentation Respite has been removed fro claim														
annotation	documentation Type of claim process pause event from enumeration.															

### element InvoiceClaimProcessPauseEvent/ClaimProcessPauseEventDate

type	<b>xs:date</b>
properties	content simple nillable false
annotation	documentation The date when the event occurred

### element InvoiceClaimProcessPauseEvent/ValidToDate

type	<b>xs:date</b>
properties	minOcc 0 maxOcc 1 content simple nillable false
annotation	documentation If exists, the date to which the claim process pause is valid to.

### complexType InvoiceComplaintEvent

children	<a href="#">ComplaintStatus</a> <a href="#">ComplaintEventDate</a>
used by	element <a href="#">BillJournal/BillJournalInfo/InvoiceComplaintEvents/InvoiceComplaintEvent</a>

**element InvoiceComplaintEvent/ComplaintStatus**

type	<a href="#">eComplaintStatus</a>									
properties	content simple nillable false									
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>ComplaintReceived</td> <td>documentation Complaint has been registered</td> </tr> <tr> <td>enumeration</td> <td>ComplaintResolved</td> <td>documentation Complaint has been resolved</td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	ComplaintReceived	documentation Complaint has been registered	enumeration	ComplaintResolved	documentation Complaint has been resolved
Kind	Value	Annotation								
enumeration	ComplaintReceived	documentation Complaint has been registered								
enumeration	ComplaintResolved	documentation Complaint has been resolved								
annotation	documentation Type of complaint status from enumeration.									

**element InvoiceComplaintEvent/ComplaintEventDate**

type	<b>xs:date</b>
properties	content simple nillable false
annotation	documentation The date when the event occurred

**complexType InvoiceStatusEvent**

children	<a href="#">InvoiceStatus</a> <a href="#">StatusEventDate</a>
used by	element <a href="#">BillJournal/BillJournalInfo/InvoiceStatusEvents/InvoiceStatusEvent</a>

**element InvoiceStatusEvent/InvoiceStatus**

type	<a href="#">eInvoiceStatus</a>									
properties	content simple nillable false									
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Closed</td> <td>documentation Status of the invoice in the accounts receivable has been set to closed</td> </tr> <tr> <td>enumeration</td> <td>Rest</td> <td>documentation Status of the invoice in the accounts receivable has been set to rest, meaning that remaining amount to settle is below or equal to configured amount.</td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Closed	documentation Status of the invoice in the accounts receivable has been set to closed	enumeration	Rest	documentation Status of the invoice in the accounts receivable has been set to rest, meaning that remaining amount to settle is below or equal to configured amount.
Kind	Value	Annotation								
enumeration	Closed	documentation Status of the invoice in the accounts receivable has been set to closed								
enumeration	Rest	documentation Status of the invoice in the accounts receivable has been set to rest, meaning that remaining amount to settle is below or equal to configured amount.								
annotation	documentation Type of status event from enumeration.									

**element InvoiceStatusEvent/StatusEventDate**

type	<b>xs:date</b>
properties	content simple nillable false
annotation	documentation The date when the event occurred

### simpleType **CompanyNumber**

type	restriction of <b>xs:string</b>												
properties	base <b>xs:string</b>												
used by	attribute <a href="#">BillJournal/@CompanyNo</a>												
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>15</td> <td></td> </tr> <tr> <td>pattern</td> <td>[0-9]*</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	15		pattern	[0-9]*	
Kind	Value	Annotation											
minLength	1												
maxLength	15												
pattern	[0-9]*												

### simpleType **eClaimEvent**

type	restriction of <b>xs:string</b>																		
properties	base <b>xs:string</b>																		
used by	element <a href="#">InvoiceClaimEvent/ClaimEvent</a>																		
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>ReminderSent</td> <td>documentation An invoice reminder has been sent to the customer</td> </tr> <tr> <td>enumeration</td> <td>SecondReminderSent</td> <td>documentation A second invoice reminder has been sent to the customer</td> </tr> <tr> <td>enumeration</td> <td>CollectionClaimSent</td> <td>documentation A collection claim has been sent to the customer</td> </tr> <tr> <td>enumeration</td> <td>RestReminderSent</td> <td>documentation A reminder including only interest and fees has been sent to the customer</td> </tr> <tr> <td>enumeration</td> <td>DebtCollection</td> <td>documentation The invoice has been transferred to collection</td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	ReminderSent	documentation An invoice reminder has been sent to the customer	enumeration	SecondReminderSent	documentation A second invoice reminder has been sent to the customer	enumeration	CollectionClaimSent	documentation A collection claim has been sent to the customer	enumeration	RestReminderSent	documentation A reminder including only interest and fees has been sent to the customer	enumeration	DebtCollection	documentation The invoice has been transferred to collection
Kind	Value	Annotation																	
enumeration	ReminderSent	documentation An invoice reminder has been sent to the customer																	
enumeration	SecondReminderSent	documentation A second invoice reminder has been sent to the customer																	
enumeration	CollectionClaimSent	documentation A collection claim has been sent to the customer																	
enumeration	RestReminderSent	documentation A reminder including only interest and fees has been sent to the customer																	
enumeration	DebtCollection	documentation The invoice has been transferred to collection																	

### simpleType **eClaimProcessPauseEventType**

type	restriction of <b>xs:string</b>															
properties	base <b>xs:string</b>															
used by	element <a href="#">InvoiceClaimProcessPauseEvent/ClaimProcessPauseEvent</a>															
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Stop</td> <td>documentation The claim is stopped for further claim process steps until stop is removed.</td> </tr> <tr> <td>enumeration</td> <td>Respite</td> <td>documentation The claim is stopped for further claimprocess steps until valid to data of respite or respite is removed.</td> </tr> <tr> <td>enumeration</td> <td>StopRemoved</td> <td>documentation Stop has been removed from claim.</td> </tr> <tr> <td>enumeration</td> <td>RespiteRemoved</td> <td>documentation Respite has been removed fro claim</td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Stop	documentation The claim is stopped for further claim process steps until stop is removed.	enumeration	Respite	documentation The claim is stopped for further claimprocess steps until valid to data of respite or respite is removed.	enumeration	StopRemoved	documentation Stop has been removed from claim.	enumeration	RespiteRemoved	documentation Respite has been removed fro claim
Kind	Value	Annotation														
enumeration	Stop	documentation The claim is stopped for further claim process steps until stop is removed.														
enumeration	Respite	documentation The claim is stopped for further claimprocess steps until valid to data of respite or respite is removed.														
enumeration	StopRemoved	documentation Stop has been removed from claim.														
enumeration	RespiteRemoved	documentation Respite has been removed fro claim														

### simpleType **eComplaintStatus**

type	restriction of <b>xs:string</b>		
properties	base <b>xs:string</b>		
used by	element <a href="#">InvoiceComplaintEvent/ComplaintStatus</a>		
facets	Kind enumeration	Value ComplaintReceived	Annotation documentation Complaint has been registered
	enumeration	ComplaintResolved	documentation Complaint has been resolved

### simpleType **eCurrencyType**

type	restriction of <b>xs:string</b>		
properties	base <b>xs:string</b>		
used by	attribute <a href="#">BillAmount/@Currency</a>		
facets	Kind enumeration	Value SEK	Annotation
	enumeration	NOK	
	enumeration	DKK	
	enumeration	EUR	

### simpleType **eInvoiceStatus**

type	restriction of <b>xs:string</b>		
properties	base <b>xs:string</b>		
used by	element <a href="#">InvoiceStatusEvent/InvoiceStatus</a>		
facets	Kind enumeration	Value Closed	Annotation documentation Status of the invoice in the accounts receivable has been set to closed
	enumeration	Rest	documentation Status of the invoice in the accounts receivable has been set to rest, meaning that remaining amount to settle is below or equal to configured amount.

### simpleType **Email**

type	restriction of <a href="#">PXString</a>		
properties	base <b>PXString</b>		
facets	Kind minLength	Value 1	Annotation
	maxLength	60	
	pattern	[a-zA-Z0-9_!;&quot;#&lt;&gt;=?\[\]@{}'&#xA;&#xD; %/-À-ÖØ-öø-ú]*	

### simpleType Identifier15

type	restriction of <b>xs:string</b>		
properties	base xs:string		
used by	element <a href="#">BillJournal/BillJournalInfo/CustomerNo</a>		
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	15	
	pattern	[a-zA-Z0-9ääöÄÖ&amp;/_ -]*	

### simpleType InvoiceIdentifier15

type	restriction of <b>xs:string</b>		
properties	base xs:string		
used by	element <a href="#">BillJournal/BillJournalInfo/InvoiceNo</a>		
facets	Kind	Value	Annotation
	maxLength	15	
	pattern	[A-Za-z0-9\+]	

### simpleType ISO3166

type	restriction of <b>xs:string</b>		
properties	base xs:string		
facets	Kind	Value	Annotation
	minLength	2	
	maxLength	2	
	pattern	[A-Z]*	

### simpleType ISO639

type	restriction of <a href="#">PXString</a>		
properties	base PXString		
facets	Kind	Value	Annotation
	minLength	1	
	pattern	[a-zA-Z0-9_!;&quot;#&lt;&gt;=?\[\]@{}'&#xA;&#xD; %/À-ÖØ-öø-ú]*	
	enumeration	SV	
	enumeration	NO	
	enumeration	DA	
	enumeration	FI	
	enumeration	EN	

### simpleType Money

type	restriction of <b>xs:decimal</b>		
properties	base xs:decimal		
used by	element <a href="#">BillAmount/AmountInclVat</a>		
facets	Kind	Value	Annotation
	minInclusive	-100000000	
	maxInclusive	100000000	
	fractionDigits	2	

### simpleType PXString

type	restriction of <b>xs:string</b>		
properties	base xs:string		
used by	simpleTypes <a href="#">Email</a> <a href="#">ISO639</a> <a href="#">String10</a> <a href="#">String15</a> <a href="#">String25</a> <a href="#">String30</a> <a href="#">String35</a>		
facets	Kind	Value	Annotation
	minLength	1	
	pattern	[a-zA-Z0-9_!;&quot;#&lt;&gt;=?\[\]@{}'&#xA;&#xD; %-/À-ÖØ-öø-ú]*	

### simpleType String10

type	restriction of <a href="#">PXString</a>		
properties	base PXString		
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	10	
	pattern	[a-zA-Z0-9_!;&quot;#&lt;&gt;=?\[\]@{}'&#xA;&#xD; %-/À-ÖØ-öø-ú]*	

### simpleType String15

type	restriction of <a href="#">PXString</a>		
properties	base PXString		
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	15	
	pattern	[a-zA-Z0-9_!;&quot;#&lt;&gt;=?\[\]@{}'&#xA;&#xD; %-/À-ÖØ-öø-ú]*	

### simpleType **String25**

type	restriction of <a href="#">PXString</a>		
properties	base PXString		
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	25	
	pattern	[a-zA-Z0-9_!;&quot;#&lt;&gt;=?\[\]@{}'&#xA;&#xD; %/-À-ÖØ-öø-ú]*	

### simpleType **String30**

type	restriction of <a href="#">PXString</a>		
properties	base PXString		
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	30	
	pattern	[a-zA-Z0-9_!;&quot;#&lt;&gt;=?\[\]@{}'&#xA;&#xD; %/-À-ÖØ-öø-ú]*	

### simpleType **String35**

type	restriction of <a href="#">PXString</a>		
properties	base PXString		
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	35	
	pattern	[a-zA-Z0-9_!;&quot;#&lt;&gt;=?\[\]@{}'&#xA;&#xD; %/-À-ÖØ-öø-ú]*	

### simpleType **String50**

type	restriction of <b>xs:string</b>		
properties	base xs:string		
facets	Kind	Value	Annotation
	maxLength	50	

### simpleType **VatNumber**

type	restriction of <b>xs:string</b>		
properties	base xs:string		
facets	Kind	Value	Annotation
	minLength	7	
	maxLength	14	
	pattern	[A-Z]{2}.*	

simpleType **ZipCode**

type	restriction of <b>xs:string</b>		
properties	base xs:string		
facets	Kind	Value	Annotation
	maxLength	9	
	pattern	[A-Z0-9\-\-]+	